



INDEX MAPS.

T.1N R.9W 2nd Mer.



T.2N R.9W 2nd Mer.



The figures on the lines refer to the page.

357

Township N. 1. North of Range N. 9 West 2nd Mer Indiana

Ch. Lk.

South Boundary or Base Line.

West

On the South Boundary of sec. 36 T. 1 N. R. 9 W.

24.00

To a Brook 16 mts wide, Corner N.W.

28.40

" " " " 18 mts wide in the river.

40.00

Set a post from which

N. Oak 24 mts wide from. S. 11 N. 15 mts wide, sec.

40.40 " " " " S. 16 E. 46 " "

78.20

To a N. Oak 16 mts wide in the river.

80.00

Set a post for the corner of sec. 35 & 36 from which

Elm. 12 mts wide from. N. 8 E. 14 mts wide, sec.

N. Oak 24 " " " " S. 12 N. 16 " "

This mile more oak timbered land; Good soil not
stump. Some poplar Gum & hickory. N. 9 E. 15.

West

On the South Boundary of sec. 35 T. 1 N. R. 9 W.

19.48

To a Gum. 18 mts wide in the river.

36.60

To a Brook 10 mts wide, Corner N.

40.00

Set a post from which

N. Oak 12 mts wide from. S. 12 E. 40 mts wide, sec.

N. Oak 24 " " " " S. 15 N. 20 " "

63.48

To a Gum. 16 mts wide in the river.

80.00

Set a post for the corner of sec. 34 & 35 from which

Sugar. 16 mts wide from. S. 17 E. 22 mts wide, sec.

Do. 16 " " " " S. 27 N. 35 " "

This mile more land good soil; Timber mostly Oak,
Some Poplar, Beech, Hickory & Maple, Sugar, N. 9
Spec. & Dogwood.

West

On the South Boundary of sec. 34 T. 1 N. R. 9 W.

0.70

To a Brook 8 mts wide, Cor. N.

6.23

To a Hickory 18 mts wide in the river.

19.40

To a Brook 20 mts wide, Corner N.

29.10

" " Hickory 12 mts wide in the river

40.00

Set a post from which

Elm. 15 mts wide from. S. 16 E. 23 mts wide, sec.

Do. 16 " " " " S. 40 N. 17 " "

ga.

6

181-9

Com

T. N. 1. N. R. N. 9 W 2nd Mer. Sec^d

73.02 To a Locust 20 in dia: in the line
 80.00 Set a post for the cor of sec 33 & 34 from which
 Black 24 in dia: bears S 57 N 60 units east, &c.
 Poplar 18 " " " N 16 E 38 " "
 This mile is grassy lands; Timber Oak, Ash, Birch, & Hickory
 Maple Locust & Dogwood &c.

West On the South Bound. of sec. 33. T. 1. N. R. 9 W
 4.25 To a Locust 20 in dia: in the line.
 27.45 To a Sugar 18 in dia: stands in the line
 40.00 Set a post from which
 Beech 16 in dia: bears N 58 W 57 units east, &c.
 Oak 18 " " " S 4 E 52 " "
 46.28 To a Maple 20 in dia: in the line.
 52.85 To a Brook 10 units wide, corner N. W.
 62.40 To a Maple 20 in dia: in the line
 80.00 Set a post for the cor of sec. 32 & 33 from which
 Poplar 24 in dia: bears S 29 W 31 units east, &c.
 Oak 30 " " " N 4 E 36 " "
 This mile land land; Timber Beech, W Oak, Some Ash,
 Maple & Poplar. Some sugar; (119 Spruce soil rich.
 last part of the mile too flat.

West On the South Bound. of sec. 33 T. 1. N. R. 9 W
 8.60 To a Drain 6 lbs wide, corner N
 10.45 To a Brook 14 in dia: in the line.
 31.50 To a Brook 4 units wide, corner N.
 33.35 To a Poplar 36 in dia: in the line
 40.00 Set a post from which
 W Oak 18 in dia: bears S 36 W 23 units east, &c.
 Poplar 36 " " " North 8 " "
 48.60 To the end of Row 6 units wide, corner N W
 52.60 To a Brook 20 units wide, corner N E.
 77.10 To a Brook 20 in dia: in the line.
 80.00 Set a post for the cor of sec. 31 & 32 from which
 Beech 14 in dia: bears S E. 15 units east, &c.

L. N^o 1. A. R. N^o 9th 2nd Mar. Ind^l.

Sept 18 in clear time. 14877 30 miles out, 1
This mile is low land; Timber mostly Beech, some Poplar
some Oak & Hickory. 119 Spruce & Dogwood

West On the South Branch of the 31. T. 1 N. R. 9 W.
 13.50 To a Poplar 30 in dia: in the river.
 22.10 To a Brook. 8 miles wide, Co. N.W.
 30.20 To an Elm. 24 in dia: in the river.
 33.60 To a Brook 8 miles wide, Co. N.W.
 40.00 Get a post from which
 Brook 12 in dia: runs N 41 E 23 miles, and to
 Loc. 12 " " " 40 N 33. "
 52.60 To a Brook 10 miles wide, Co. N.W.
 54.25 To a Brook. 18 in dia: in the river.
 80.00 Get a post for the cor of sec. 31. & 36. T. 1 N. R. 9 & 10 W.
 from which, Brook 12 in dia: runs N 19 E, 25 miles, and
 under a Sugar. 20 " " " N 42 " "
 Land pretty level: timber mostly Birch, some Poplar,
 Hog wood Oak & Sugar &c. N. of Sec. 1: Well watered
 & good for farming

Surveyed by
E. Bucknigham Del.

East Bond.

North
 4.75
 38.00
 40.00
 40.88
 55.00
 80.00

Cuth East Round 7 ft 36. T. 1. N 14 9 W.
 To a W Oak. 20 in dia: with the min.
 To a Oak 50 with pick, across W
 Set a post from which
 Swamp Oak 12 in dia: from S E 16 with north, S
 Poplar 30 " " " East 23 " "
 To a Swamp Oak 20 in dia: with the min.
 " " W Oak 36 " " " " "
 Set a post for the cor of sec. 25 T 36. from which
 Sugar 12 in dia: from N 20 E 37 with north, S
 Oak 9 " " " S E 36 " "
 Sand bottom: Timber Poplar, Oak, & Sugar.

J. N. P. N. R. N. 9 W. 2nd Mo. Sud.

North On the East Boundary of sec. 25 T. 1 N. R. 9 W.
 15.00 To a Locust 25 in diam. Come W.

21.58 " Poplar 30 in diam. in the line.

40.00 Set a 1/2 sap post from which
 Hickory 11 in diam. bears N 31 E. 16 links east, &
 D. 10 " " " " N 21 35 " "

56.60 To a Honey Locust 18 in diam. in the line.

80.00 Set a post for the cor of sec 24 & 25 from which
 Gum 9 in diam. bears S 25 E. 5 links east, &
 W Oak 14 " " " " S 16 W. 26 " "
 Sand 2nd rate bottom. Timber Oak & Hickory

North On the East Boundary of sec. 24 T. 1 N. R. 9 W.

3.72 To a W Oak 36 in diam. in the line.

40.00 Set a 1/2 sap post from which
 Ash 12 in diam. bears N 32 E. 14 links east, &
 Elm 8 " " " " East 14 " "

48.50 To an Elm 10 in diam. in the line.

65.22 " " Cherry 12 " " " " " "

80.00 Set a post for the cor of sec 13 & 24 from which
 Elm 14 in diam. bears N 79 W. 8 links east, &
 D. 12 " " " " N 22 E. 36 " "
 Sand low bottom; Short Elms & Maples

North On the East Boundary of sec. 13 T. 1 N. R. 9 W.

18.70 To a H. Locust 30 in diam. in the line.

40.00 Set a 1/2 sap post from which
 H. Locust 26 in diam. bears N 44 E. 28 links east, &
 Elm 11 " " " " N 44 E. 32 " "

61.96 To a Hackberry 20 in diam. in the line

80.00 Set a post for the cor of sec 12 & 13 from which
 Hackberry 12 in diam. bears N 67 E. 25 links east, &
 Elm 6 " " " " S 45 E. 13 " "

Sand low bushy bottom. Timber Elm Hackberry
 Honey Locust.

T. N. 1 N. R. N. 9 W. Q. d. M. S. d. a.

361

North On the East Boundary of sec. 12 T. 1 N. R. 9 W.
 5.25 To a Hickory 14 in dia. stands in the river.
 20.80 To an Elm. 36 " " " " " "
 40.00 Set a post for the corner of sec. 12 T. 1 N. R. 9 W. from which,
 Sugar 12 in dia. bears N 81 E. 13 links east, &c.,
 Red Bud 9 " " " N 15 E. 35 " "
 41.61 To a Sweet Gum 20 in dia. in the river.
 65.48 " " " " " " " " " "
 80.00 Set a post for the corner of sec. 1 & 2 T. 1 N. R. 9 W. from which,
 Hackberry 11 in dia. bears N 52 E. 36 links east, &c.,
 Sugar. 10 " " " " N 4 E. 33 " "
 Sand bar bottom Timber Walnut, Hackberry &c.

North On the East Boundary of sec. 1. T. 1 N. R. 9 W.
 5.00 To a Hackberry 18 in dia. in the river.
 12.50 Set a post in the Left Bank of W. River for the corner of sec.
 1. from which, Oak 12 in dia. bears S 66 E. 8 links east,
 made a Sugar. 24 " " " " N 31 W. 20 " "
 25.00 A B. Oak. 24 in dia. stands in the river on the North-
 Right Bank of W. River
 40.00 To a Poplar 18 in dia. in the river.
 80.00 Set a post for the corner of T. 1 & 2 N. R. 9 W. from which,
 Oak 15 in dia. bears N 26 E. 17 links east, &c.,
 Buck 9 " " " " S 40 E. 11 " "
 Sand bottom & 2nd rate hill land. Timber chiefly
 Buck. Nov. 7th. 1804

Surveyed by
 T. J. Stone. R. S.

North Boundary.

West On the South Boundary of sec. 36. T. 2 N. R. 9 W.
 4.75 To a Poplar 30 in dia. in the river.
 18.38 To a Buck 10 in dia. " " " "
 32.80 To a Birch. 5 links north. Corner S.
 37.00 To a Buck 22 in dia. in the river.
 40.00 Set a post for the corner of sec. 36.

T. No. 1. N. R. No. 9 W. 2nd Mer. Ind. a.

80.00	Set a post for the cor of sec 33 & 34 from which Heik 107 10 in dist. bears N 45 W 5 units dist. to Do. 12 " " " S 22 E 25 " " This note is R. rate bottom overflow Timber Hoop wood, Elm, Hickory & 119 Sprucewood &c.
West 2.50	On the South Boundary of sec. 33. T. 1 N. R. 9 W To a Brook 50 units wide, course S 10 W & comes from the North.
9.50	To a Pond 7 ch wide course N 78
24.30	To a Spruce Gum 24 in dist. in the river.
30.50	To a Pond 9 ch wide, course N 78
40.00	Set a 7th suppost from which Beck 12 in dist. bears South 48 units dist. to Sugar. 18 " " " N 28 E 30 " "
80.00	Set a post for the cor of sec 32 & 33 from which Ash 18 in dist. bears S 14 E 30 units dist. to Weak 24 " " " N 20 E 31 " "
West 1.00	On the South Boundary of sec 32 T. 1 N. R. 9 W To a Brook 10 units wide course E.
25.90	" " Heik 12 in dist. in the river
40.00	Set a 7th suppost from which Elm 18 in dist. bears N 24 E 11 units dist. to Beck 10 " " " S 10 W 14 " "
50.00	Came to upland
80.00	Set a post for the cor of sec 31 & 32 in Schudsons farm from which. There was no true corner int This note is mostly R. rate Timber Beech, Elm, Hoop wood &c. 119 Spruce &c.
West 40.00	On the South Boundary of sec. 31 T. 1 N. R. 9 W Set a 7th suppost from which. There was no true corner int
71.00	Intersect the Range line at the post cor of sec. 1.6. 31 & 36. Aug 10. 1805.

T. No. 1 N.R. No. 9 W. 2nd Mer. Sud^a.Surveyed by
W. Brady. D.S.

West Boundary

- North On the East Boundary of sec. 36 T. 1 N.R. 10 W
35.56 To a Gum. 16 in diam. in the line.
40.00 Set a post from which
Poplar 30 in diam. bears N 86 $\frac{1}{2}$ E 15 links east, &
Sugar. 12 $\frac{1}{2}$ " " N 80 W 24 " "
Land hard & rich.
- 45.80 To a Nut 16 in diam. in the line.
49.10 To a Birch 4 links end, corner N.E.
65.70 " " 16 " " " N.E. good water.
67.62 To a Oak 40 in diam. in the line.
80.00 Set a post for the corner of sec. 25 & 36 from which
Birch 10 in diam. bears N 70 W 37 links east, &
12 $\frac{1}{2}$ " " " N 7 E 34 " "
Land uneven & good soil. Iron Ore, Birch, Poplar,
Sugar, Elm, Oak, Birch & some Spruce. W. Y.
-
- North On the East Boundary of sec. 25 T. 1 N.R. 10 W
27.60 To a Hoop Ash. 17 in diam. in the line
40.00 Set a post from which
Birch 16 in diam. bears N 82 W. 14 links east, &
Oak 22 $\frac{1}{2}$ " " " N 59 E. 19 " "
40.30 To an Elm. 20 in diam. in the line
59.20 To a Poplar 48 " " " "
80.00 Set a post for the corner of sec. 24 & 25 T. 1 N.R. 10 W from
which Birch 24 in diam. bears N 31 $\frac{1}{2}$ W 42 links
under Sugar 12 $\frac{1}{2}$ " " " 44 $\frac{1}{2}$ W 5 " "
This gate is hard & rich land. Iron Ore, Birch, Oak,
Sugar, Poplar, W. Y. Birch & Spruce.
-
- North On the East Boundary of sec. 24 T. 1 N.R. 10 W
7.00 To a stump: Offset West 300 yds. thence North 88.5
thence East 300 yds. to line which brings

15.85	Acrop camp @ Ch. East
24.80	To a Road corner NW + S.E.
30.55	To a Brook 6 cuts wide, corner NW.
36.34	To a Brook 12 in dia. in the river.
40.00	Set a post from which Beak 12 in dia. from. S 44 W. 28 cuts each, ca. Lg. 12 " " " S 44 E. 36 " "
41.00	To an old line of survey; runs nearly a Magnetic North
45.65	To a Brook 6 cuts wide, corner N.E. from water.
55.00	To old line, corner N.W. nearly Magnetical.
60.00	To a Brook 10 cuts wide, corner W.
61.50	" " " " 10 " " " NW.
68.80	To a Brook 24 in dia. in the river.
80.00	Set a post for the cor of cut. N 34 W 24 from which, Beak 24 in dia. from. S 77 E 29 cuts each, ca. Wash 24 " " " S 79 W 34 " " This run is run on rich land timbered with Beech, Poplar & Ash. Gage & Co.
North	At the East Point of the N. 3. J. O. N. R. 10 W
5.50	To a Poplar 20 in dia. in the river
25.65	To a Brook 14 " " " " " "
40.00	Set a post from which Beak 14 in dia. from. S 5 E. 17 cuts each, ca. Lg. 10 " " " N 38 W 18 " "
45.00	To White River bottom.
52.26	To a cut from 30 in dia. in the river.
62.00	To a Brook 30 cuts wide, corner N.W.
64.86	" " Wash. 20 in dia. in the river.
80.00	Set a post for the cor of cut. N 24 W 13 from which, Acrop Brook 12 in dia. from. N 78 E. 18 cuts each, ca. Wash 10 " " " N 83 W 28 " " Finish of this run breaks of hills towards White River Last 1/2 run on a bottom; timbered with Elm, Hickory, Pecan & Ash & Gum.

T. N. 1. N. R. No. 9 N. Q. 1. M. S. 1.

- North 16.00 Out the East Boundary of Sec. 12. T. 1 N. R. 10 W.
To the Left Bank of White River: Bottom overflowed
Set a post to get the distance across the River from the
this side.
Repaired to where the East Boundary of Sec. 12. T. 1. N.
Range 10 W. crosses White River on the North Bank.
which is 26.44 in East Boundary of Sec. 12; measured
North 120 links from sand bar & set a post S.E. cor
of that point of Sec. 12 which is North of White River
from which, Maple 12 in diam. trees. N 65 W. 51 the oak
and a Button oak 14 " " N 12 E. 49 " "
thence North on the East Boundary of Sec. 12. reaching
from the Mile post.
- 27.64 To this corner.
- 37.54 To a pecanore 30 in diam. in the river.
- 40.00 Set a post from which,
Hoop Ash 14 in diam. trees. S 82 E. 17 links north, to
Box Elm. 14 " " N 10 W. 52 " "
River 100 links East.
- 50.00 To a Pond 50 links wide, Corner W.
- 65.00 To a pond 100 " " " " N. & N.E.
- 78.50 To a Brook which makes last pond 20 links wide
Corner S.E.
- 80.00 Set a post for the cor of Sec. 1 & 12 from which,
Box Elm. 9 in diam. trees. S 26 E. 3 links north, to
Sp. Oak. 12 " " " N 73 W. 20 " "
The last part of this route is muddling good farming
land; bottom all times overflowed.

-
- North 4.21 Out the East Boundary of Sec. 1. T. 1 N. R. 10 W.
To a Swamp (W Oak 18 in diam. in the tree.
- 27.50 To a Brook 12 links wide, Corner W. Swamp 6 links
- 33.85 To a W Oak 12 in diam. in the tree.
- 40.00 Set a post from which,
Elm 12 in diam. trees. S 11 E. 19 links north, to
W Oak 14 " " " N 67 W. 14 " "

369

I. N. A. N. R. N. G. W. D. M. Ind.

43 Oak 19 in dia: here. N 26 N. 50 links each, & a
 71.00 To a W Oak 20 in dia: in the river. S 33 E 37
 72.50 To a Brook 5 links wide, lower N. & lower from S 15 W
 80.00 Intercept the N 13 line at the foot of cul. 23, 24, 25 & 26.
 This mile is level & plowed R. rate; Timber Oak, Poplar,
 Elm & Sugar, N. Y. Spruce & Dogwood &c.
 April 12th. 1805.

North Return cul. 23 & 24 I. N. A. N. R. G. W.
 5.10 To an Ash 18 in dia: in the river.
 17.25 " " W Oak 30 " " " " " "
 40.00 Set a junction post from which
 Measure to cul. 20 in dia: here N 24 N. 20 links each, & a
 New 10 30 " " " S 11 E. 33 " " " "
 46.80 To a Brook 4 links wide, lower N. & lower from the E.
 53.00 Come to W. River bottom.
 70.75 To an Elm 16 in dia: in the river.
 71.90 " " Elm 18 " " " " " "
 80.00 Set a post for the cor of cul. 13, 14, 23 & 24 from which
 New 10 16 in dia: here N 13 N. 15 links each, & a
 Ash 10 " " " S 8 W 34 " " " "
 This mile level R. rate land; Bottom overgrown
 Timber Oak, Poplar, Elm &c; N. Y. Spruce & Dogwood
 R. 1/2 mile level & plowed.

East On a Random line between cul. 13 & 24 I. N. A. N. R. G. W.
 80.00 Intercept the East Branch 10 links North of the foot of
 cul. 13 & 24.

West On the true line between cul. 13 & 24 I. N. A. N. R. G. W.
 37.73 To an Elm 10 in dia: in the river.
 40.00 Set a junction post at the orchard on the true line from which
 To a Elm 10 in dia: here S 5 E. 30 links each, & a
 Hoopwood 10 " " " N 4 E. 36 " " " "
 66.25 To a Hoopwood 12 in dia: in the river.

T. N. 1. N. R. N. 9 W. 2nd Mer. Ind.

80.00 Intersect the NW line at the post on of sec. 13, 14, 23 & 24
This mile is level or inflamed bottom. 1st date. Timber Elm.
Hoop woods, Honey Locust &c. 119 Spas & Prunes
April 13th 1805.

North
14.80 Return Sec 13 & 14 T. 1 N. R. 9 W.
Set a post on the Left Bank of W. River for the cor of line
Sec 13 & 14 from which a
Bany Oak 30 in diam. bears N 89 E 24 links dist; & a
Sugar 12 " " " S 21 W 13 " "
Sand and sub bottom; 1st date; Timber Hoopwood, Sugar,
& Spas.

North to an object on the other shore than West
75 links bear the same object at N 5° E.

North
15.00 Return Sec 13 & 14 T. 1 N. R. 9 W.
To the Left Bank of W. River.

27.09 To the opposite side.
29.83 To a Hoop Ash 21 in diam in the line.

40.00 Set a post from which a
Pawpaw 7 in diam bears N 69 W 39 links dist; & a
Elm. 21 " " " S 5 E 26 " "

42.84 To a Sycamore 84 in diam in the line.

80.00 Set a post for the cor of sec. 11, 12, 13 & 14 from which a
Hoop Ash 22 in diam bears N 14 W 24 links dist; & a
Hoop 15 " " " S 52 E 25 " "
Sand and sub bottom; Timber Hoop Ash, Elm & Hickory
W. Ash &c. 119 Spas & Pawpaw &c.

East
28.80 Return Sec 12 & 13 T. 1 N. R. 9 W.

To the Right Bank of W. River and set a post for the cor
of sec. 12 & 13 from which a

Sycamore 18 in diam bears S 54 W 26 links dist; & a
Do. 16 " " " N 11 E 22 " "

Sand and sub bottom; Timber Ash, Elm & Sycamore
Willow &c.

West
Return Sec 12 & 13 T. 1 N. R. 9 W.

12.00 To an Echn 20 in dia: in the Uni.
 25.34 " " Do. 24 " " " " "
 40.00 Set a post from which a
 Sugar 20 in dia: beam. N42W 29 Cmts arch, & a
 Do. 22 " " " " " " " " " " "
 40.75 Set a post on the Left Bank of M. Riv. from which
 Beam. 20 in dia: beam. N15 E. 7 Cmts arch, & a
 Sugar 20 " " " " " " " " " " "
 To the Hoop and Echn Sugar, Sun & wood & Pt water
 bottom overflowed, 119 Spain Strain; April 17. 1805.

North Bottom Dec 11 + 12 J 1879 W.
 8.13 To a Meop 20 in air in the mi.
 40.00 Set a p. upost from which,
 Peak 30 in air time N 25 E 50 mts west, & a,
 No. 33 " " " " 63 N 56 " "
 53.30 To a Meop Sep. 18 in air in the mi.
 80.00 Set a post for the ca of Dec. 11 + 12 from which,
 Peak 19 in air time N 68 W 15 mts west, & a,
 Sugar 21 " " " " 43 E 46 " "
 Sugar & creek bottom; Timber Sugar, Peak, Elev, N.
 Locust; Wash, &c; W. Sp. & P. from.

East Return Dec 1870 T 151897.
5.00 Got a post on the Right Bank of W. River for the cutoff
from Dec 1870 from which,
Reek 12 in diam: bore. Sp 577.9 lbs. each, in
No. 272 " " 1107768 "
See beyond bottom, Timber Creek, Sugar & Ash. E. end.

West	Bottom	Dec 1872	J. I. A. R. G. W.
5.20	To a Box Elder	7 in diam	in the line.
40.00	Got a p. in post from	Whitaker,	
	Heik 16 in diam	trans. N 9 E 18	Antes arch, va,
	Ask 10 " " "	N 7 E 8	" " "
41.40	To a Norway Spruce	20 in diam	in the line.

J. N. A. N. R. N. 9 W. D. M. L. d.

51.60 To a Sugar 14 in dia: in the line
 64.50 Set a post on the Left Bank of W. River for the cor. of Grad
 Sec. 1 & 2 from which
 Hoopwood 16 in dia: bears S 35° W 9 links each, to
 Elm. 20 " " " N 50° E 20 " "
 Land had bottom, overflown; Timber Hoopwood Elm &
 W. Spruce &c.

North Return Sec. 1 & 2 T. 1 N. R. 9 W.

5.50 Cross a Bayou 100 links wide,
 14.46 To a Walnut 54 in dia: in the line.
 40.00 Set a post from which
 Red Oak 9 in dia: bears N 86° W 43 links each, to
 Do 9 " " " N 67° E 44 " "
 50.49 To a Sugar 12 in dia: in the line.
 81.34 Intersect the North Branch at 125 links West of the post cor.
 of Sec. 35 & 36. T. 2. N. R. 9 W. and set a post for the cor.
 " " 1 & 2 from which
 Elm. 16 in dia: bears N 10° E 18 links each, to
 S. Gum. 14 " " " S 80° W 94 " "
 Land some old set nuts.

North Return Sec. 34 & 35. T. 1. N. R. 9 W.

22.90 To a W. Oak 18 in dia: in the line.
 26.50 To a Brook 10 links wide, bears W. & comes from S 25° E.
 27.55 " " Oak 18 in dia: in the line
 40.00 Set a post from which
 Sugar. 16 in dia: bears N 22° E 25 links each, to
 Poplar 24 " " " S 24° W 31 " "
 41.80 To a Poplar 18 in dia: in the line.
 52.60 " " Red Oak 12 " " " " " "
 70.90 To a Poplar 40 " " " " " "
 78.50 To a Brook 7 links wide, comes N 40° W and comes from
 S 46° E.
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which
 Red Oak 20 in dia: bears S 12° W 41 links each, to

J. N. 1 N. R. N. 9 N. 2nd. Mm. Ind:

373

Ash 8 in dia: bears N38 E. 63 links each;
This mt. generally level upland. Nt. rats; Shrub Poplar,
Elm & Ash. Sugar Oak, &c. N. 9 Mostly Spruce.

East On a Ramdam line between Sep 26 & 35. J. 1 N. R. 9 N.
80.00 Into salt the N. 13 line 25 links South of the post on of sep.
25, 26, 35 & 36.

West On the same line between Sep 26 & 35 J. 1 N. R. 9 N.
30.65 To on Ash 20 in dia: in the line.
39.45 To a Brook 12 links wide, Corner N. 30 W. & comes from S 25 E.
40.00 Set a 1/2 Red post at the end of the line from which
N. 14 about 20 in dia: bears S 21 E. 53 links each, &c.
Sugar 6 " " " " N. 61 W. 28 " "
70.60 To on Ash 18 in dia: in the line.
80.00 Into salt the N. 13 line at the post on of sep 26, 27, 34 & 35.
This mt. is mostly upland; a little rolling Nt. rats;
N. 9 Spruce woods; &c.

North Between Sep 26 & 27. J. 1 N. R. 9 N.
31.30 To a W Oak 18 in dia: in the line.
40.00 Set a 1/2 Red post from which
Ash 16 in dia: bears S 43 E. 34 links each, &c.
Sugar 26 " " " " S 41 W. 15 " "
42.85 To a Mahogany 24 in dia: in the line.
46.00 To a Brook 30 links wide, Corner W. & comes from E.
47.00 To a Sugar 20 in dia: in the line.
69.80 To on Ash 18 " " " " "
80.00 Set a post for the end of sep. 22, 23, 26 & 27 from which
N. 14 about 20 in dia: bears S 77 W. 24 links each, &c.
N. 10 about 10 " " " " N. 62 E. 26 " "
This mt. level upland; Nt. rats; Some bottom on the creek.
Shrub Sugar Elm, Ash, Poplar. N. 9 Spruce &c.

East On a Ramdam line between Sep 23 & 26 J. 1 N. R. 9 N.

T. N. 1. N. R. N. 9 W 2nd Mer. Ind. a.

80.00	Enter out the N & S line at the post on of sec. 23, 24 & 25 & 26.
West	On the line between Sec 23 & 26. T. 1 N. R. 9 W.
32.20	To a Poplar 18 in diam in the line.
39.00	To a Birch 6 links away, corner S. & corner from N.
40.00	Set a 1/4 post at the corner on the line from which, Poplar 60 in diam. N 77 W 44 links each, Paço Elm 8 4 " " S 63 E 30 " "
58.50	To a Poplar 40 in diam in the line.
80.00	Enter out the N & S line at the post on of sec. 22, 23, 26 & 27. This mile had upland R. rate; Timber Sugar, Walnut, Poplar, & 1/2 Spruce, &c.
North	Between Sec. 22 & 23. T. 1. N. R. 9 W.
1.20	To an Elm 10 in diam in the line.
6.00	To a Birch 6 links away, corner S. 15 W. & corner from N. 6 E.
16 7/5.	To a Birch 5 " " " S 40 W. & " " N 30 E.
40.00	Set the 1/4 post from which, Hickory 14 in diam. N 22 E 36 links each, Pa, Birch 12 " " " S 66 W 30 " "
42.00	Came to White River bottom.
57.80	To a Hickory 20 in diam in the line.
59 7/5	" " " Oak 10 " " " " " "
80.00	Set a post for the corner of sec. 14, 15, 22 & 23 from which, Hickory 12 in diam. N 59 W 16 links each, Pa, Do. 14 " " " S 78 E. 23 " "
	Land R. rate, upland & low; Bottom Maskey & 2nd rate overflows Timber Birch, Sugar, Poplar & Hickory &c. 1/2 Spruce.
East	On the line between Sec 14 & 23. T. 1. N. R. 9 W.
80.00	Enter out the N & S line at the post on of sec. 13, 14, 23 & 24
West	On the line between Sec. 14 & 23. T. 1. N. R. 9 W.

J. N. A. N. R. N. 9 W 2nd Mer. Sud.

East Return Dec. 11 & 14 J. 1 N R 9 W.
 30.90 To the Left Bk of White River.
 41.24 To the Right Bk. of W River thence East on Mer. Am.
 80.56 ^{Union} Set a post on the N 83 line. 300 links North of the post on a line.
 11. 12. 13 & 14.
 Land overflooded bottom. Timber Ash, Elm, & Sycamore

West On the line between Dec. 11 & 14 J. 1 N R 9 W.
 39.32 Set a post on the Right Bk. of W River for the corner of
 tract Dec. 11 & 14 from White,
 Hoop Ash 20 in dia. trees N 55 E. 40 links each, & a
 Honey Locust 22 " " S 60 E. 14 " "
 40.56 1/4 Sec cor in River.

North Return Dec. 10 & 11 J. 1 N R 9 W
 2.33 To a Mark 10 in dia. in the line.
 35.75 " " Hoop wood 9 " " " "
 37.90 " " Sugar 24 " " " "
 40.00 Set a 1/4 Sec post from White,
 Elm. 18 in dia. trees N 79 E. 4 links each, & a
 Do. 10 " " " S 53 W. 16 " "
 45.34 To a Pond 150 links, run, corner E & W
 47.30 " " Do. 200 " " " E & W.
 68.00 Set a post on the Left Bank of W River for the corner of tract
 Dec. 10 & 11. from White,
 W Oak 20 in dia. trees. S 50 W 34 links each, & a
 R Oak 12 " " " N 37 W 25 " "
 Land level bottom Pt. state; Overflooded from the Hoop
 wood Elm & H. Locust, W Y Spruce &c.

North Return Dec. 10 & 11 J. 1 N R 9 W.
 69.26 To the Left Bk of W River.
 80.00 On the Dec. 2, 3, 10 & 11. in the River.

East On the Mer. Am. line between Dec. 2 & 11 J. 1 N R 9 W

377

T. N. 1. N. R. N. 9 N. 2nd Mer. Sud:

4000	Set a trap 7 th in post
80.30	Enter cut the N. 3 rd line 271 units North of the post on of Jul. 1. 211 + 72. Sand low flined bottom; Timber Hoop Ash, Elm, Beech &c.
West	On the line between Sur 271. T. 1. N. 9 N.
40.15	Set the trap 7 th post at the air ash on the line from which Hoop Ash 14 in air: time N 57 N. 26 units east, Pa, Do. 15 " " " N 57 E. 05 " "
80.30	Enter post on of Sur. 2, 3. 10 + 11.
North	Between Sur. 273. T. 1. N. 9 N.
3.50	Enter Outlet of the River 200 units wide, Corner N. N.
40.00	Set a 7 th east post from which, Hoop 18 in air: time N 72 E. 25 units east, Pa, Do. 25 " " " N 42 " "
80.00	Enter cut the N. 3 rd line 98 units West of the post on of Sur 34 + 35. T. 2 N. 9 N. and set a post for the " " " 273 from which Elm. 18 in air: time N 45 E. 14 units east, Pa, Do. 22 " " " N 46 N. 18 " " Sand low bottom; Timber Wash, Elm, Hoop &c.
North	Between Sur 33 + 34 T. 1. N. 9 N.
8.24	Is a Hoop 10 in air: in the line.
18.20	" " Poplar. 30 " " " " "
20.60.	Is a Brook Elm, wide, Corner N. 15 N. & comes from N 12 E
40.00	Set a 7 th east post from which, Elm. 16 in air: time N 27 E. 14 units east, Pa, Beech 18 " " " N 31 N. 31 " "
46.25.	Is a sugar 30 in air: in the line.
61.25.	Is on Elm. 20 " " " " "
77.90	Is a sugar. 10 " " " " "
80.00	Set a post for the cross Sur 27, 28 33 + 34 from which, Ash 20 in air: time N 63 E. 25. units east, Pa, Beech 10 " " " N 37 N. 46 " "

J. N. R. No 9 N D. d. Mrs. S. d.

This route is level upland; 1st rate; Timber Bush,
Poplar, Sugar &c. N. Y. Spruce &c.

East 80.00	On the main line between Sec. 27 & 34 T. 1 N. R. 9 W. Intersect the N. Y. line 30 miles South of the post on of sec. 26. 27 34 & 35.
West 34.60 40.00	On the main line between Sec. 27 & 34 T. 1 N. R. 9 W. To a N. Oak 36 in dia. in the line, Set the 1st a post at the ar. dish on the main line from which Bush 12 in dia. trees N. 38 W. 8 links each, 22 Do. 13 " " " N. 39 W. 46 " "
52.00	To a Brook 30 links wide, corner N. 62 E. & corner from S. 7 E.
56.08	To an Elm. 18 in dia. in the line.
59.88	" " Ash. 24 " " " " "
63.45	" " Elm. 20 " " " " "
80.00	Intersect the N. Y. line at the post on of sec. 27, 28, 33 & 34 This route is level upland 2nd rate; some bottom on the crack. Timber Oak, Poplar, Sugar, &c. N. Y. Dog wood & Spruce.
North 10.10 23.55 25.33 30.90 40.00 40.10 48.00 50.40 62.55 80.00	Between Sec. 27 & 28. T. 1 N. R. 9 W. To an S. Gum. 24 in dia. in the line. " " Hickory 30 " " " " " To a Brook 12 links wide, corner N. 5 E. and corner from S. 30 W. To a Brook 25 " " " " N. 5 W. " " " S. 50 E. Set a 1st a post from which On a far 14 in dia. trees S. 55 E. 30 links each, 22 N. Oak. 8 " " " " N. 78 W. 36 " " To a Sugar. 20 in dia. in the line. To a Brook 40 links wide, corner N. & corner from S. E. To a B. Walnut 15 in dia. in the line. " an S. Gum. 24 " " " " " Set a post for the cor. of sec. 21, 22, 27 & 28 from which

T. N. 1 N. R. N. 9 W. 2nd Mer. Ind. 379

Beck 15 in diam. beam. N 15 E. 48 units, each, &c.
 Log 10 4 4 4 4 39 W. 8 4 4
 This route is made of 2nd rate; some bottom on the creek,
 Limbu Oak, Elm, Poplar, Beech &c. (W. 9) Spruce &c.

East Oak Run line between Dec. 22 & 27. T. 1 N. R. 9 W.
 80.00 Set out the N 13 line at the post on Dec. 22 23. 26 & 27.

West Oak Run line between Dec. 22 & 27. T. 1 N. R. 9 W.
 10.30 To a Brook 4 units wide, corner S. corner from N.
 30.40 To an Elm 10 in diam. in the line.
 40.00 Set the trip 1/2 post at the ar. dist. on the line from which
 Beck 12 in diam. beam. N 28 W. 38 units, each, &c.
 N. Locust 10 4 4 4 4 N 23 W. 21 4 4
 44.17 To a W. Oak 20 in diam. in the line.
 65.45 To a Log 12 4 4 4 4
 80.00 Set out the N 13 line at the post on Dec. 21. 22 27 & 28.
 This route is made of 2nd rate; Limbu Oak, Hickory
 in the Poplar &c. W. 9 Dogwood & Spruce.

North Between Dec. 21 & 22 T. 1 N. R. 9 W.
 4.50 Come to N. River bottom.
 6.00 To a Brook 50 units wide, corner S 60 E. corner from N.
 7.60 " " Hickory 18 in diam. in the line.
 17.80 " " Log 10 4 4 4 4
 35.60 " " Elm 12 4 4 4 4
 40.00 Set a 1/2 post from which
 W. Oak 16 in diam. beam. N 82 E. 28 units, each, &c.
 Elm 8 4 4 4 4 N 38 W. 10 4 4
 59.70 To a Hickory 18 in diam. in the line.
 75.20 To a Brook 20 units wide, corner North & corner from
 S 15 E.
 80.00 Set a post for the end of Dec. 15. 16. 21. & 22 from which
 Elm 16 in diam. beam. N 76 E. 45 units, each, &c.
 Log 14 4 4 4 4 N 18 W. 23 4 4
 This route is mostly bottom & overflow; 1st rate; Limbu

T. N. 1. N. R. N. 9 W 2nd Mer. Sur.

Elm. Hoop, north Ash &c. W. Spruce & Brains &c.

East
80.00 On a Kanam line between Sur. 15 & 22, T. 1. N. R. 9 W.
Cut out the N. 13 line 45 links South of the post on of Sur.
14 15 22 & 23.

West
16.50 On the same line between Sur. 15 & 22, T. 1. N. R. 9 W.
To a Buck. 6 in diam. in the line.
23.25 To an R. Oak. 14 in diam. " " " "
40.00 Set a 1/4 sapost at the arch on the true line. From which
S. 20 in diam. bears. S. 10 W. 13 links each, on
Elm. 9 " " " N. 33 E. 16 " "
47.80 To a Maple. 18 in diam. in the line.
54.25 To an Elm. 24 in diam. " " " "
79.50 To an Elm. 10 in diam. " " " "
80.00 Cut out the N. 13 line at the post on of Sur. 15, 16, 21 & 22
This mile is level & rate below overflowed;
Timber Hick, Maple, Elm, Buck, &c. W. Spruce & Brains

North
Between Sur. 15 & 16, T. 1. N. R. 9 W.
9.00 To an Elm. 18 in diam. in the line.
15.00 Left a Brook. (which ran with the line) 20 links wide,
bears N. 10 E.
28.13 To a Hick. 9 in diam. in the line.
40.00 Set a 1/4 sapost from which
Hick 14 in diam. bears. S. 64 E. 10 links each, on
Buck 8 " " " S. 27 N. 22 " "
44.18 To an Ash. 12 in diam. in the line.
55.55 To a Walnut. 20 in diam. in the line.
59.00 To a Brook. 20 links wide, bears. N. 25 W. & comes from
S. 50 E.
65.05 To a Brook. 20 links wide, bears. N. 41 E. & comes from
S. 60 W.
72.62 To an Elm. 18 in diam. in the line.
80.00 Set a post for the end of Sur. 9, 10, 15 & 16 from which
R. Oak. 30 in diam. bears. N. 50 E. 23 links each, on

J. N. 1. N. R. N. 9 W. 2nd Mer. Sur:

R. Oak. 26 in diam here N 68 W of bank creek; &c.
This side is hard bottom land; overflowed. R. rate; Timber
Heads Hoop wood, of the Locust; &c. N 9 Spec. &c.

An error in this note one tally over, measure corrected.

West
19.45. On the tree line between Sur 10 & 15. J. 1. N. R. 9 W.
To an Ash. 5 in diam in the tree.
22.85 To a Hickory 6 " " " " "
27.10 To an Elm. 20 " " " " "
40.00 Set the 1st post at the corner in the tree line from which
Ash 8 in diam here. N 72 E 18 bank creek, &c.
Elm. 20 " " " " 85 6 7 34 " "
43.20 To an Elm 18 in diam in the tree.
58.67 " " Birch. 30 bank creek, here. N 35 E. & comes from
South.
65.25 To a Hickory 11 in diam on the bank.
80.00 Set out the N 15 line at the post on of sur. 9. 10. 15 & 16.
This note is hard bottom land R. rate & overflowed.
Hoopwood, Elm & Sugar, &c. N 9 Spec.
Month 18 1805.

North
7.23. Return Sur 9 & 10 J. 1. N. R. 9 W.
To a Sugar. 18 in diam in the tree.
16.00 To " Oak. 20 " " " " "
25.40. Set a post on the left corner of N River for the cor of
Sur. 9 & 10 from which
Oak 20 in diam here. S 83 E 17 bank creek, &c.
Sugar. 24 " " " " 82 5 7 28 " "
Land hard bottom R. rate overflowed Timber Hoop
wood Sugar, &c. N 9 Spec.
North
80.00 Return Sur 9 & 10. J. 1. N. R. 9 W.
Set a post for the cor of sur. 3 & 4 9 & 10 from which
Oak. 13 in diam here. S 62 W 18 bank creek, &c.
Elm. 14 " " " " N 50 E 21 " "
Same de same as last note.

90.

T. N. 1. N. R. N. 9 N 2nd (Mr. Aud.)

East
1.62 On a Random line between Sec 3 & 10 T. 1 N. R. 9 W.
To the River.
17.00 Over the land.
31.60 To Williams Creek. 15 miles mid., Corner S. E.
36.50 " Same. Do. " " " N. E.
40.00 Set a trap for a post.
41.00 To Williams Creek.
80.10 Intersect the N. 5 line 31.3 miles South of the post on off.
Sec. 2, 3, 10 & 11.

West
40.05 On the same line between Sec 3 & 10 T. 1 N. R. 9 W.
Set a trap for a post at the arable on the line
from which Red but 8 in diam. N. 37 W. 24 the dish
make a hoop. Ark. 18, " " S. 7 W. 26, "
80.10 To the post on off Sec. 3, 4, 9 & 10.

North
40.05 Between Sec 3 & 4 T. 1 N. R. 9 W.
32.20 To a long pond; Corner N. E. & S. W. & about 15 mi.
mid. & set a post for the corner Sec 3 & 4 from which
Beck. 7 in diam. S. 7 W. 22 miles each way
Do. 9 " " " " S. 6 E. 28, "
Remainder of this line wanting

North
40.05 Between Sec 32 & 33 T. 1 N. R. 9 W.
6.00 To a Poplar 40 in diam. in the line.
18.50 To a Brook. 10 miles mid., Corner W. & comes from
S. 25 E.
35.50 To a W. Oak. 24 in diam. in the line.
40.00 Set a post for the corner
Beck. 16 in diam. S. 7 E. 55 miles each way
Do. 8 " " " " S. 8 W. 18, "
50.90 To a Lign. 20 in diam. in the line.
65.55 To " Beck. 24 " " " " "
71.75 To a Brook. 8 miles mid., Corner W. & comes from E.
80.00 Set a post for the corner Sec 28, 29, 32 & 33 from which
Beck. 22 in diam. S. 84 E. 47 miles each way

J. N. 1 N. R. N. 9 W 2nd (Mr. Ind.)

Beck 12 in dia: bears N42W. 42, limbs crab,
This mile is hard upland R^h rate; Timber Buck, Ash,
Poplar &c. W^g Spruce &c.

East On a Random line between Dec. 28 & 33. J. N. R. 9 W.
80.00 Set out the N13 line at the post cr of Dec. 28, 29, 33 & 34

West On the true line between Dec. 28 & 33. J. N. R. 9 W.
11.70 To a Brook 10 limbs mid, corner N40 E. & comes from
W30 W.

31.75 To a Brook 8 " " " N25 E " " "
S30 W.

34.75 To an Ash. 18 in dia: in the line.

37.70 " " " " " " " " " " " "

40.00 Set a 7th up post for the cr act in the true line from White,
Beck 14 in dia: bears North 16 limbs crab, &c,
Sugar 8 " " " " " " " " " "

54.85 To an S Gum. 24 in dia: in the line.

59.64 To " " " " " " " " " " " "

80.00 Set out the N13 line at the post cr of Dec. 28, 29, 33 & 34.
This mile is hard & 2nd rate; upland; Timber Buck,
Poplar & Ash. W^g Spruce &c.

North Between Dec. 28 & 29. J. N. R. 8 W.

4.85 To a Beck. 15 in dia: in the line.

26.50 To a Brook 9 limbs mid, bears N. & comes from the E.

40.00 Set a 7th up post from White,
Beck 8 in dia: bears S29 E. 16 limbs crab, &c,
Do. 10 " " " " " " " " " "

55.34 To a Sugar. 18 in dia: in the line.

78.75 " " " " " " " " " " " "

80.00 Set a post for the corner 20, 21, 28 & 29 from White,
Elm. 26 in dia: bears N75 W 67 limbs crab, &c,
Elm. 12 " " " " " " " " " "

S12 E. 48 " " "
This mile generally hard upland; R^h rate; Timber Buck,
Poplar, Sugar &c. W^g Spruce.

T. N. A. N. R. N. 9 W 2nd. Man. Ind.

East Organ Run line between Dec. 21 & 28 T. 1 N. R. 9 W.
80.00 Intersect the N. 13 line at the post on of Dec. 21. 22. 1878.

West On the line line between Dec. 21 & 28 T. 1 N. R. 9 W.
20.15 To a Log 40 in diam in the line.

33.20 " " " " " " " " " "

40.00 Set the 7th sap post at the ar. dish on the line line from which,
Beck 16 in diam. trees N 2 E. 31 trees each, 72,
Heavy 14, " " N 11 W. 28, "

44.20 To a Brook 50 trees wide, across N 9 W. & across from
N 18 W.

59.10 To an Ash 20 in diam in the line.

71.25 " " Heavy 10 " " " " " "

80.00 Intersect the N. 13 line at the post on of Dec. 20. 21. 28 1879
(from.) This route is generally level upland & P. rats.
(Very little bottom on the Creek. Some Beck, P. & a.
Logan N 9 W. 28 S. -

North Between Dec. 20 & 21 T. 1 N. R. 9 W.

3.55 To an Ash 20 in diam in the line.

12.70 To a Oak 18 in diam. " " " "

40.00 Set a 7th sap post from which
Oak 10 in diam. trees N 45 W. 5 trees each, 72
Heavy 12, " " N 45 E. 25, "

71.10 To a Pond 780 lbs. X as the line runs N 56 W. 13
N 16 E.

80.00 Set a post for the on of Dec. 16. 17. 20 & 21 from which,
Ash 26 in diam. trees N 56 W. 35 trees each, 72
Maple 20, " " N 53 E. 27, "
This route is not straight & level generally. Some
S. & L. trees. Maple, &c. (18 various kinds of small
brush & briars)

East Organ Run line between Dec. 16 & 21 T. 1 N. R. 9 W.

80.00 Intersect the N. 13 line 35 trees North of the post on of
Dec. 15 16. 21 1872

T. N. 1 N. R. N. 9 T. D. d. (M. d. d. d.)

West	On the line between Sec. 16 & 21. T. 1 N. R. 9 W.
00.10	To a Birch 20 in dia. in the line, corner N. & comes from N. & E.
33.10	To a maple 18 in dia. in the line.
40.00	Set a post at the ar ditch on the line from which Ash 10 in dia. trees. S 67 E. 11 in dia. trees, & Oak 16 in dia. " " N 36 W. 19 in dia. "
66.36	To a Birch 18 in dia. in the line.
75.10	To an Elm 20 in dia. " " "
75.50	To a Pond 435 in dia. corner N. & S.
80.00	Intersect the N. & S. line at the post on of Sec. 16, 17, 20 & 21. This note is in the bottom; overflowed. Flaky 2nd rate. M. g. Sp. & S. & S.

North	Between Sec. 16 & 17. T. 1 N. R. 9 W.
5.00	To a pond 250 in dia. corner E. & W.
16.40	To an Elm 20 in dia. in the line.
27.25	" " Oak 18 in dia. " " "
40.00	Set a post at the ar ditch (from which) An Ash 10 in dia. stands for 1/4 in.
56.10	To a Elm 36 in dia. in the line.
61.40	To a B. Walnut 18 in dia. in the line.
80.00	Set a post for the cor. of Sec. 8, 9, 16 & 17. From which Elm 16 in dia. trees. S 4 W. 46 in dia. trees, & Oak 12 in dia. " " N 76 E. 35 in dia. " This note is in the bottom R. rate; (Mostly overflowed. Timber Ash Hickory & Hoop wood. M. g. Sp. & S. & S. April 20. 1805.

East	On a R. & S. line between Sec. 9 & 16. T. 1 N. R. 9 W.
80.00	Intersect the N. & S. line 210 in dia. North of the post on of Sec. 9, 10, 15 & 16.

West	On the line between Sec. 9 & 16. T. 1 N. R. 9 W.
27.50	To a Red Oak 24 in dia. in the line.
40.00	Set the post at the ar ditch on the line from which Hickory 28 in dia. trees. S 4 W. 13 in dia. trees, &

J. N. P. N. R. N. 9. W. 2nd. M. S. Ind. a.

- 45.00 Height 14 in diam. beam. N 35 W. 10 units each
 A Pond or Bayou 50 units each, corner N 20 W. & N 30 E
 45.70 To a Red Oak 28 in diam. in the river.
 60.00 To a Pond or Bayou 60 units corner N 45.
 80.00 Set up at the N. & S. line. at the post on of 2nd. 8. 9. 16 & 17.
 This note is sent bottom. R. gate; overflood. Timber
 Hoopwood Elm, Height Sugar &c. (N. 9. 16 & 17).

- North Between 2nd. 8 & 9. J. 1. N. R. 9 W.
 13.90 To a Hoopwood 12 in diam. in the river.
 15.25 To a Height 30 in " " " "
 22.17 " Hoopwood 20 " " " " "
 29.80 To a Pond 168 units each, corner N. 45 E. & S. 45 W.
 40.00 Set up a report from which
 Hoopwood 20 in diam. beam. N 53 W. 26 units each, for
 L. 10. 16 " " " " N 45 E 34 " "
 51.75 To a Hoopwood 22 in diam. in the river.
 62.63 " " Maple 12 " " " " " "
 68.50 Set up a post for the corner of 2nd. 8 & 9 in the Left Bank of W. River
 from which, Hoopwood 8 in diam. beam. N 35 W. 3 units each,
 under a L. 10. 10 " " " " N 45 E 34 " "
 Second hand R. gate; bottom. Timber Hoopwood Elm,
 &c. (N. 9. 16 & 17).
 North Between 2nd. 8 & 9. J. 1. N. R. 9 W.
 70.70 To W. River. Left Bank.
 79.44 Over River to R. " "
 80.00 Set up a post for the corner of 2nd. 4, 5, 8 & 9 from which
 Hoopwood 14 in diam. beam. N 45 W. 25 units each, for
 L. 10. 15 " " " " N 45 E 47 " "

- East On a River from which between 2nd. 4 & 9 J. 1. N. R. 9 W.
 16.2 To River
 17.00 Over bank of River
 31.60 To Nelson's Creek 15 units each corner S. E.
 36.50 " " " " " " " " N. E.

T. N. 1. N. R. N. 9 W. 2nd (Mn. Sec. 4)

80.00	Intersect the NWS line 50 miles South of the post on off Sec. 29.30.31 & 32
West	On the line between Sec. 29 & 32 T. 1. N. R. 9 W.
16.25	To a Buck 18 in dia. in the line
24.00	To a Brook 15 miles mid, comes N 60 E. & comes from S 25 W.
29.25	To a Buck 16 in dia. in the line.
30.00	To a Brook 15 miles mid, comes N 40 E. & comes from the West
37.00	Left the creek comes from N 30 W.
40.00	Left a post from which Buck 20 in dia. here N 4 E. 28 miles mid, & No. 30 " " " S 59 W. 40 " "
49.15	To a Brook 8 miles mid, comes S 50 E. & comes from N 40 W.
74.30	To a Walnut 12 in dia. in the line.
80.00	Intersect the NWS line at the post on off Sec. 29.30.31 & 32 This note is upland Pt. note; some bottom on the creek. Timber Buck Poplar Ash &c. 117 Spec.

West	Return Sec. 30 & 31. T. 1. N. R. 9 W.
33.00	To a Buck 10 in dia. in the line.
40.00	Left a post from which Ash 18 in dia. here. S 69 W. 35 miles mid, & N 18 W. " " " N 41 E. 4 " "
40.60	To an Ash 20 in dia. in the line.
68.15	To a Brook 6 miles mid, comes S. & comes from N.
78.50	Intersect the West Boundary at the post on off Sec. 25 & 36. T. 1. N. R. 10 W.
	This note is upland Pt. note; Timber Buck, Poplar, & Cedar, &c. 117 Spec. Goosey Creek &c.

North	Between Sec. 29 & 36 T. 1. N. R. 9 W.
4.50	To a Brook 6 miles mid, comes E & comes from W.
11.70	To a Sugar 15 in dia. in the line

389

I. No. 1. N. R. No. 9 N. D. and Min. Ind.

18.25	To an Ash 10 in dia: in the riv.
27.50	" " Birch 16 " " " "
37.25	" " Birch 15 hts. mid. Corner E. of Lewis from N
40.00	Set a post from which Beck 8 in dia: hts. S 38 E 21 hts. inch; & Sugar 10 " " " N 53 W 10 " "
49.90	To an Ash 20 in dia: in the riv
61.40	To " Sugar 30 " " " " "
80.00	Set a post for the cor of Dec 19. 20. 29 & 30 from which Beck 36 in dia: hts. S 59 E 46 hts. inch; & Sugar 22 " " " N 84 W 40 " "
This mile is hard upland 1 st rate; Very little bottom on the Crap Santa Beck, Sugar, Poplar, &c. NY Spruce Kronig Beck &c.	

East	On a Rem dam line between Dec 20 & 29 I. 1. N. R. 9 N
80.00	Set out the NTS line 50 hts. South of the post cor of Dec 20 21. 28 & 29

West	On the riv line between Dec 20 & 29 I. 1. N. R. 9 N
11.00	To a Beck 20 in dia: in the riv.
21.25	To an Sugar 26 " " " " "
40.00	Set the 1/4 a post at the an dish on the riv from which Beck 10 in dia: hts. N 60 E 18 hts. inch; & Do. 8 " " " S 59 W 49 " "
48.00	To a Beck 30 hts. mid. Corner N 60 E. of Lewis from the South.
57.80	To a Hick 48 in dia: in the riv.
76.00	To a Beck 18 " " " " "
80.00	Set out the NTS line at the first cor of Dec 19. 20. 29 & 30 This mile is good hard upland 1 st rate; Santa Beck, Poplar, Sugar, &c. NY Spruce &c.

West	Between Dec 19 & 30 I. 1. N. R. 9 N.
2.20	To a Beck 14 in dia: in the riv
25.90	To a Sugar 16 " " " " "

J. N. 1. N. R. N. 9 W 2nd (Mn. Sud.)

17.70 To a Log. 15 in dia. in the line.
80.00 Into cut at the post on of sw. 17.18.19 & 20.
This rule is level bottom. R^o rate. Mostly overflown.
Timber Hoopwood Elm Buck &c. W^g Spruce &c.

Missed the post 140 lbs.
West Return Sw. 18 & 19 J. 1. N. R. 9 W.
2.70 To an Ash. 18 in dia. in the line.
5.50 To an Ash. 16 " " " "
40.00 Set a 7th a post from which
Hoopwood 16 in dia. beams. S 31 W 14 units east, &c.
Buck 20 " " " N 28 E. 27 " "
43.80 To a Log. 14 in dia. in the line.
46.10 Into cut the West Boundary at the post on of sw. 13 & 24.
J. 1. N. R. 10 W.
This Holly Wpland R^o rate; Timber Buck, Log, Ash.
Hoop &c. W^g Spruce &c.

North Return Sw. 17 & 18 J. 1. N. R. 9 W.
3.55 To an Elm. 15 in dia. in the line.
14.58 " " Ash. 15 " " " "
21.15 To a Birch. 45 units in dia. Corner N 15 W. & beams from A.
24.75 To a Hickory 18 in dia. in the line.
40.00 Set a 7th a post from which
Hickory 12 in dia. beams. N 6 W 15 units east, &c.
Hickory 18 " " " S 23 E. 34 " "
42.64 To an Elm. 20 in dia. in the line.
75.10 To a Pine or Bayon 50 units in dia. Corner E & W
80.00 Set a post for the cut on of sw. 7.8.17. & 18 from which
Hoopwood 16 in dia. beams. N 57 W 36 units east, &c.
Do. 28 " " " S 53 E 25 " "
This rule is level bottom overflown R^o rate; Timber
Hoopwood Elm, No. Elm &c. W^g Spruce &c.

East On a Random line between Sw. 8 & 77 J. 1. N. R. 9 W.
80.00 Into cut the N 58 line at the post on of sw. 8.9.16 & 77

J. N. 1. N. R. N. 9 W 2nd M. S. A. 5.

West	On the line between Sec 8 & 7 J. 1 N. R. 9 W
26.68	To a Rock 92 in diam. in the line.
28.90	To a Rock 40 in diam. near corner N. 13.
29.60	" " B. Walnut. 30 in diam. in the line.
40.00	Set a 7 th stake at the ar. dist. in the line from which Heavy Locust 28 in diam. bears N 38 W. 35 links north, to E. line 10 " " " S 86 E. 15 " "
48.00	To a Hoop work 18 in diam. in the line.
67.73	" " " 9 " " " " "
75.00	" " " 20 " " " " "
80.00	Enter at the N. 13 line at the post on of sec 7. 8. 17 & 18. This mark is laid bottom R. rate, Overflown, Timber Hoop work, & Elm & N. Locust, (17 & 18) very thick

East	On a Random line between Sec 7 & 18. J. 1 N. R. 9 W
80.00	Enter at the N. 13 line & called the post. 270 R.

West	On the line between Sec 7 & 18. J. 1 N. R. 9 W
10.84	To a Locust 60 in diam. in the line.
16.18	" " Hoop Work 20 " " " " "
29.85	" " B. Walnut. 24 " " " " "
34.50	To a Pond 70 in diam. near corner N. 13.
40.00	Set a 7 th stake from which Kick 10 in diam. bears N 56 W 21 links north, to R. 8 " " " S 47 W 13 " "
42.25	To a Pond 150 in diam. near corner N. 13.
69.08	" " Hoop Work 18 in diam. in the line.
75.30	Enter at the West Boundary at the post on of sec 12 & 13. J. 1 N. R. 10 W. Land laid bottom R. rate & Overflown Timber Hoop work, Elm, B. Walnut & N. 17 & 18.

North	Return Sec 7 & 18. J. 1 N. R. 9 W.
4.35	To an Elm 12 in diam. in the line.
13.70	To an Ash 30 " " " " "
35.50	Over land bottom R. rate; leave N. 10 W. 10 W. & at

a post for the cor of fract. Sec. 7 & 8. from which
Clothwood 16 in dia: beam. S 76 E. 32 links each, 20
Do. 18 " " " S 65 W 11 " "

Timber: Hoopwood Elm, Sugar, Sycamore, & c. 11/2 Spr.
North line offset on the other side. Now west 144 ft.
Clear the same offset at N 70° 20' E.

North Bottom Sec. 7 & 8. T. 1. N. R. 9 W

32.00 To the Left Bank of W River

41.60 To the Right Bank of W River.

49.60 To a Hoop Ash. 15 in dia: in the line.

80.00 Set a post for the cor of sec 5, 6, 7, & 8 from which
B Walnut. 18 in dia: beam. S 50 E. 25 links each, 20
Elm. 30 " " " N 42 W. 61 " "

Good flowered bottom; Timber: Hoop Ash Elm, Maple, Hick
B Walnut. & c.

East On a Run line between Sec 5 & 8 T. 1. N. R. 9 W.

35.00 To a Bayon. 15 links in dia, corner S.

40.00 Set a temporary post.

80.40 Enter cut the N 78 line. 14 links South of the post. cor of sec.
4 5, 8, 9

West On the Iron line between Sec 5 & 8 T. 1. N. R. 9 W

40.20 Set the temporary post at the corner on the line from
which on Elm. 15 in dia: beam. N 34 E. 22 links each, 20
Hoop Ash. 16 " " " S 32 W 56 " "

80.40 To the post on of sec 5, 6, 7, & 8.

West Between Sec 6 & 7. T. 1. N. R. 9 W.

40.00 Set a temporary post from which

Hick 10 in dia: beam. N 73 W 23 links each, 20
Do. 9 " " " S 7 E. 19 " "

75.50 Enter cut the West Run at 145 links South of the post
cor of sec 1 & 2. T. 1. N. R. 10 W and set a post for the
" " " 65 ft from which Hick 10 S 58 E 26. 10 in dia:
Hoop Ash. 12 in dia: beam. N 56 E. 85 links each, 20

T. N. 1. N. R. N. 9 W. 2nd Mer. Sec.
Land from arlast mile.

North	Between Sec 576. T 1 N. R 9 W
	Open flumed low bottom land.
33.00	To a Pond 250 yards wide Corner E & W.
36.50	" " Walnut 30 in diam. in the tree.
40.00	Set a post from which
	Red Dub: 8 in diam. tree. N 81 W. 23 miles north, 73
	Do 8 " " " N 35 E. 49 " "
50.00	To a Pond
53.00	Open pond to New Hill Good upland. Set a Dub,
	Sugar Walnut. 1-.
80.64	Enter set the N. 81 W. 421 miles East of the post
	on of sec 31 & 32 T 2 N. R 9 W and set a post for the
	" " 576. in open field.
	Saturday Aug 22 ^d 1857.

Measures of White River.

Commencing at the post on the line between Sec
13 & 14. thence upstream on the Left Bank.

N 86 E.	5.50
N 71 E.	8.50
N 60 E.	4.50
N 54 E.	10.00
N 45 E.	9.50
N 29 E.	9.50
N 20 E.	6.00
N 10 E.	12.50
North	14.00
N 7 W.	7.00
North	8.00

N 19 W.	4.50
N 12 W.	7.00
N 28 W.	9.00
N 40 W.	15.50

T. N. 1. N. R. N. 9 W D^{ma} (Mm. Ind.)

N 32 W. 6.50
 N 21 W. 15.50
 N 3 W. 7.00
 N 8 E. 10.00
 N 22 E. 14.50

N 41 E. 8.00
 N 64 E. 9.50
 N 73 E. 8.50
 East 10.00

S 72 E. 22.50 At ch^o came to Heartland Ferry
 S 59 E. 8.08 To the post on the Range line on the East Bank of
 of su. 1.

Beginning at the post cor of sec 9 & 10 Thms upstream
 on the Left Bank.

N 23 E. 7.90
 N 11 E. 7.10 Came to the Mouth of Brook 150 M and leaves
 North 16.00 from N 51 E.
 N 16 E. 18.50
 N 56 E. 15.50
 N 81 E. 13.50
 S 80 E. 14.50
 S 65 E. 32.87 Came to post on the Bank cor. of sec. 10 & 11

S 65 E. 27.00
 S 44 E. 7.00
 S 26 E. 17.00
 South 9.00
 S 16 W. 22.00
 South 4.50

S 7 W. 7.00 at 2 ch^o Came to the post cor of sec. 11 & 14

South 10.50
 S 6 E. 4.00
 S 2 E. 6.50

J. N. 1. N. R. N. 9. W. 2nd M. S. S. S.

S15 E.	6.50	
S24 E.	5.70	
S14 E.	5.50	
S36 E.	14.50	
S55 E.	11.00	
S77 E.	12.00	
S61 E.	4.00	
S74 E.	5.00	
N87 E.	3.75	
N79 E.	2.10	To the post on of Feb 13 & 14.
		April 19 1875.

Commencing in Buckingham Range and on the
 Bank of the River on of Feb 7 & 10 comes up the
 River on the Left Bank.

N58 E.	4.00	
N38 E.	11.00	at 790 To the mouth of a Brook in Bayou
N8 E.	6.00	50 miles N.W.
North	8.50	
N29 E.	4.50	
N43 E.	8.75	
East	11.50	
S55 E.	13.00	
S32 E.	3.50	
S53 E.	7.00	
S63 E.	11.00	
S83 E.	7.00	
N77 E.	3.50	
East	5.00	
N65 E.	14.6	To the post in line between S. 7 & 8.

N74 E.	4.50
N77 E.	7.00
East	4.00
S66 E.	2.75
S66 E.	14.50

397

T. N. 1 N R. N. 9 W 2nd Mer. And:

S81 E.	9.00
N82 E.	7.50
N62 E.	11.50
N43 E.	5.00
N32 E.	8.00
N16 E.	9.50
N34 E.	3.00
N16 E.	10.00
N29 E.	9.50
N72 E.	15.00

At 3.88 the beam to post on of sec 8 & 9.

S64 E.	8.00
S43 E.	6.50
S23 E.	5.00
S8 E.	18.50
S24 E.	18.00
S44 E.	6.50
S62 E.	9.50
S45 E.	8.00
S87 E.	7.00
N72 E.	9.50
N52 E.	8.50
N33 E.	4.50

Came to the post on the line between Sec 9 & 10 on the Bank of the River.
 N65 W. To an object on the other shore of the River then S25 W 100 links; then to the same object. N60 W.

Meanders of the Right Bank of White River
 Across Township N. 1 North Range N. 9 West.
 Began on the East Boundary of sec. 1. T. 1. N. R. 9 W
 "thence Down Stream N. 18 E.

N67 W	8.00
N71 W	15.77
N88 W	15.00

At 14.50 the stream from the North. End
 Harveys Ferry

West 5.00
 S80 W 5.00 To a Run 20 units wide, from the N.
 S70 W 10.00
 S52 W 9.00
 S40 W 12.50
 S20 W 10.00
 S15 W 6.60 Intersect the parallel line between Sec 1 & 2
 Sand rich bottom; Timber Ash Sugar,
 Birch & Elm,

S15 W 0.40
 S5 W 10.00
 South 7.00
 S15 E 7.00
 S20 E 10.00
 S34 E 9.00
 S25 E 6.00
 S40 E 10.00
 S30 E 10.00
 S20 E 4.00
 S5 E 9.00
 S2 W 4.50 Intersect the parallel line between Sec 12 & 13
 Sand rich bottom; Timber Elm, Hoop
 maple &c. Sand rather low.

S2 W 20.50
 S12 W 10.00
 S30 W 18.00
 S60 W 10.00
 S75 W 9.90 Intersect the Meridian between Sec 13 & 14
 Sand rich bottom; Timber Elm, Hoop maple
 & Ash. Subject to overflow

N80 W 17.00
 N62 W 6.00
 N45 W 19.50

N 11 W 23.50

N 12 W 12.85. Intersect the parallel between Sec. 11 & 14
Land low flooded timber Ash, Elm, Maple,
Sycamore &c.

N 6 E 10.00

N 10 E 17.00

N 12 W 10.00 At 950 units wide, a Bayou 30 units wide, No. E.

N 20 W 11.00

N 30 W 6.00

N 40 W 7.00

N 53 W 10.00

N 60 W 8.00

N 70 W 7.00

N 75 W 6.00

N 60 W 8.74 At 147 units intersect the parallel between Sec.
3 & 10.

N 70 W 6.73 Intersect the Meridian between Sec. 2 & 3.

N. 43. The above course was taken on a deviation
of 2° 30' E by mistake. having the monies altered thus
for correcting a line.

N 67 W 11.00

N 75 W 6.00

N 64 W 11.00

N 74 W 19.00

N 80 W 7.00

N 75 W 15.00

N 55 W 10.00

N 40 W 7.57 Intersect the parallel between Sec. 3 & 10.

N 40 W 2.83. Intersect the Meridian line between Sec. 9 & 10.

S. 15 W 10.40.

400

T. No. 1. N. R. No. 9 W. 2nd M. S. S. S.S 87th 33.80S 35th 7.50S 71th 10.50

West 4.00

N 76th 6.00N 55th 6.50N 38th 5.00N 18th 23.00N 20th 11.00N 33th 9.00N 48th 5.00N 60th 7.00N 80th 1.33 Links; Intersect the parallel between Sec 4 & 9N 80th 3.67

West 5.00

S 85th 7.00 Intersect the parallel between Sec 4 & 9S 65th 1.95 Intersect the Meridian between Sec 8 & 9.S 65th 4.05S 52th 8.00S 38th 10.00S 20th 7.00S 35th 4.00S 15th 7.00S 30th 5.50S 55th 6.00S 80th 5.00

West 16.00

N 65th 11.00N 85th 6.00S 85th 12.00S 70th 2.03 Intersect the Meridian between Sec 7 & 8

Meanders of R. J. Began on the North side of River

401

T. N. 1 N. R. N. 9 W 2nd Mer. S. 4th

4 on the West 7th corner of Sec. 7. thence up the River
on the North side or Right Bank.

N 5 E. 15.00
N 15 E. 6.00
N 23 E. 6.00
N 43 E. 5.00
N 60 E. 7.00
N 72 E. 7.00
East 9.00
S 70 E. 5.00
S 52 E. 26.00
S 65 E. 7.00
N 80 E. 12.65

Intersect the Meridian line between Sec. 7 & 8.
Saturday ^{August 22nd} 1807.

Surveyed by
Wm. L. Sullivan. L.S.

I certify that the foregoing Transcript of the field
notes of Township N. 1 North of Range N. 9 West
of the 2nd Principal Meridian, Indiana has been com-
pared with the Original notes in this Office & found
to be correct.

Surveyor General's Office.

Cincinnati August 17 1841

E. S. Rains
Surv. Genl.